

TEST REPORT



ÉMI-TÜV

Add value.
Inspire trust.

Name of the client: USA Medical Kft.
Address: 2040 Budaörs, Puskás Tivadar út 10.

ÉMI-TÜV SÜD Kft.
Central Laboratory
KERMI Department

Budapest, 05 03 2021

Test report No.: R-1673413/2

Page: 1/4

Date of application: 15 02 2021

Name of test samples: USA Medical Oral Care Hemp oil Blend
250 Orange Flavored

Subject of application: Oral care oil tests according to the
Applicant request.

Receipt date of test samples: 17 02 2021

Testing period: 17 02 2021- 05 03 2021

Remark: The result relates only to the items tested

No extract, abridgment or abstraction from a test report may be published or used to advertise a product without the written consent of the Director of ÉMI-TÜV SÜD Ltd KERMI Department. The results contained herein apply only to the particular sample tested and to the specific test carried out and not to samples of the current production line.

Rn.: 13-09-072640
VAT No: 10687105-2-13
Bank: UniCredit Bank Hungary Zrt.
10918001-00000068-72970003

Managing Director
Cseresznyák Miklós

Phone: +36/1 210 9570
www.emi-tuv.hu

TÜV[®]

ÉMI-TÜV SÜD Kft.
Central Laboratory
KERMI Department
H-1043 Budapest
Dugonics u. 11.





ÉMI-TÜV

Name of test samples:

**USA Medical Oral Care Hemp oil Blend
250 Orange Flavored**



The samples were submitted by the Applicant.

Test results:

1. Physical, chemical tests

Test parameters	Test results	Test method
	USA Medical Oral Care Hemp oil Blend 250 Orange Flavored	
Outer:	Intense orange colour, oily texture, liquid with a characteristic odour of raw materials.	MSZ 11433-3:1982 (standard withdrawn)
Dry matter content, % w/w	97,3 ± 5 rel. %	MSZ 11433-14:1983 (standard withdrawn)
pH (tested in solution 1%):	6,3 ± 0,1	MSZ 11433-4:1982 (standard withdrawn)
Fat content, % (m/m)	96,9 ± 5 rel. %	MSZ 11433-5:1983 (standard withdrawn)
Fat saponification number, mg KOH/g	178,3 ± 5 rel. %	MSZ 11433-5:1893* (standard withdrawn)
Heat stability: 37 °C, 120 hours:	No change.	MSZ 11437:1988 (standard withdrawn)

*Non-accredited method.

2. Heavy metal content

Vizsgálati módszer: ICP-MS; MSZ EN ISO 17294-2:2017

Test parameters	Test results ± 10 rel. %	Requirement Bundesamt für Verbraucherschutz und Lebensmittelsicherheit (BVL) 2016
	USA Medical Oral Care Hemp oil Blend 250 Orange Flavored	
Lead (Pb), mg/kg	<0,1	<2 mg/kg
Cadmium (Cd), mg/kg	<0,1	<0,1 mg/kg
Antimony (Sb), mg/kg	<0,1	<0,5 mg/kg
Arsenic (As), mg/kg	<0,2	<0,5 mg/kg
Mercury (Hg), mg/kg	<0,1	<0,1 mg/kg

LOQ : Pb, Cd, Sb, Hg: 0,1 mg/kg; As: 0,2 mg/kg.



ÉMI-TÜV

3. Microbiological tests

Sample preparation: MSZ EN ISO 21148:2017

Microbiological parameters	Test results CFU/g	Requirements	Test method
	USA Medical Oral Care Hemp oil Blend 250 Orange Flavored	MSZ EN ISO 17516:201*	
Total Aerobic Mesophilic microorganisms	<10	$\leq 1 \times 10^3$ *	MSZ EN ISO 21149:2017
Yeast and mould	<10		MSZ EN ISO 16212:2017
Staphylococcus aureus:	negative	negative	MSZ EN ISO 22718:2016
Pseudomonas aeruginosa:	negative	negative	MSZ EN ISO 22717:2016
Escherichia coli:	negative	negative	MSZ EN ISO 21150:2016
Candida albicans:	negative	negative	MSZ EN ISO 18416:2016

* Total count of Total Aerobic Mesophilic microorganisms and Yeast and mould count

Evaluation:

Heat stability, heavy metal content: Pass

Microbiological test: Pass

The tested samples are waste and accordingly are disposed.

ÉMI-TÜV SÜD Kft.
KERMI Department

Zita Nagy
Expert



ÉMI-TÜV SÜD Kft.
KERMI Osztály

András Varjú
Head of KERMI Department

Miklósné Schein
Expert